

Application No. 10/609,120
 Atty Dkt No. 11187-00016 (Endow-3-US)
 Reply to Office Action of October 3, 2006


RECEIVED
 CENTRAL FAX CENTER

FEB 05 2007

APPENDIX A

CLEAN COPY OF CLAIMS AS AMENDED HEREIN

7. A method of reducing alcohol consumption in a mammal comprising administering a compound of Formula I



Formula I

wherein:

R₁ is selected from the group consisting of hydrogen, carboxy, halo, branched or straight chain (C₁-C₆)haloalkyl, (C₃-C₆)cycloalkoxy, (C₁-C₆)haloalkoxy, (C₃-C₆)cyclohaloalkoxy, (C₃-C₆)cycloalkoxyalkyl, (C₁-C₆)alkoxy(C₃-C₆)cycloalkyl, (C₃-C₆)cycloalkylcarbonyl, substituted or unsubstituted phenyl, phenyl(C₁-C₆)alkyl, and heterocyclyloxy, heterocyclylcarbonyl, wherein substituents are from one to four and are selected from the group consisting of halo, aminocarbonyl, aminothiocarbonyl, carboxy, formyl, hydroxy, amino, carbamoyl, (C₁-C₃)alkyl, (C₁-C₃)haloalkyl, (C₁-C₃)alkoxy, (C₁-C₃)haloalkoxy, (C₁-C₃)alkylamino, di(C₁-C₃)alkylamino, (C₁-C₂)alkoxy(C₁-C₂)alkyl, (C₁-C₂)alkylamino(C₁-C₂)alkyl, di(C₁-C₂)alkylamino(C₁-C₂)alkyl, (C₁-C₃)alkylcarbonyl, (C₁-C₃)alkoxycarbonyl, (C₁-C₃)alkylaminocarbonyl, and di (C₁-C₃)alkylaminocarbonyl;

R₂ is selected from the group consisting of hydrogen and alkoxy;

R₃ is selected from the group consisting of hydrogen, (C₁-C₆) alkoxycarbonyl, and carboxy;

R₄ is selected from the group consisting of hydrogen and hydroxy;

Application No. 10/609,120
Att'y Dkt No. 11187-00016 (Endow-3-US)
Reply to Office Action of October 3, 2006


R₅ is selected from the group consisting of hydrogen, carboxy, hydroxy, amino, halo, branched or straight chain (C₁-C₆)alkyl, (C₁-C₆)haloalkyl, (C₂-C₆)alkenyl, (C₃-C₆)alkadienyl, (C₁-C₆)alkoxy, (C₃-C₆)cycloalkoxy, (C₁-C₆)haloalkoxy, (C₃-C₆)cyclohaloalkoxy, (C₂-C₆)alkynyloxy, (C₁-C₆)alkoxy(C₁-C₆)alkyl, (C₃-C₆)cycloalkoxyalkyl, (C₁-C₆)alkoxy(C₃-C₆)cycloalkyl, (C₁-C₆)alkylcarbonyl, (C₃-C₆)cycloalkylcarbonyl, (C₁-C₆)alkoxycarbonyl, (C₄-C₆)alkoxycarbonylalkyl, (C₁-C₆)hydroxyalkyl, substituted or unsubstituted phenyl, phenyl(C₁-C₆)alkyl, heterocyclyl, heterocycllyoxy, heterocycllycarbonyl, wherein substituents are from one to four and are selected from the group consisting of halo, aminocarbonyl, aminothiocarbonyl, carboxy, formyl, hydroxy, amino, carbamoyl, (C₁-C₃)alkyl, (C₁-C₃)haloalkyl, (C₁-C₃)alkoxy, (C₁-C₃)haloalkoxy, (C₁-C₃)alkylamino, di(C₁-C₃)alkylamino, (C₁-C₂)alkoxy(C₁-C₂)alkyl, (C₁-C₂)alkylamino(C₁-C₂)alkyl, di(C₁-C₂)alkylamino(C₁-C₂)alkyl, (C₁-C₃)alkylcarbonyl, (C₁-C₃)alkoxycarbonyl, (C₁-C₃)alkylaminocarbonyl, and di (C₁-C₃)alkylaminocarbonyl;

R₆ is selected from the group consisting of hydrogen and hydroxy; and

R₇ is selected from the group consisting of hydrogen and halogen,
with the proviso that R₅ cannot be hydroxy when R₁, R₂, R₃, R₄, R₆, and R₇ are all hydrogen
in an amount effective to increase a concentration of 5-hydroxyindoleacetaldehyde formed during catabolism of serotonin or dopamine.

Application No. 10/609,120
 Atty Dkt No. 11187-00016 (Endow-3-US)
 Reply to Office Action of October 3, 2006

8. A method of modulating alcohol consumption in a mammal comprising administering a compound of Formula I



Formula I

wherein:

R₁ is selected from the group consisting of hydrogen, carboxy, halo, branched or straight chain (C₁-C₆)alkyl, (C₁-C₆)haloalkyl, (C₂-C₆)alkenyl, (C₃-C₆)alkadienyl, (C₁-C₆)alkoxy, (C₃-C₆)cycloalkoxy, (C₁-C₆)haloalkoxy, (C₃-C₆)cyclohaloalkoxy, (C₂-C₆)alkynyloxy, (C₁-C₆)alkoxy(C₁-C₆)alkyl, (C₃-C₆)cycloalkoxyalkyl, (C₁-C₆)alkoxy(C₃-C₆)cycloalkyl, (C₁-C₆)alkylcarbonyl, (C₃-C₆)cycloalkylcarbonyl, (C₁-C₆)alkoxycarbonyl, (C₄-C₆)alkoxycarbonylalkyl, (C₁-C₆)hydroxyalkyl, (C₅-C₁₀)carboxyalkyl, substituted or unsubstituted phenyl, phenyl(C₁-C₆)alkyl, heterocyclyl, heterocyclyloxy, heterocyclylcarbonyl, wherein substituents are from one to four and are selected from the group consisting of halo, aminocarbonyl, aminothiocarbonyl, carboxy, formyl, hydroxy, amino, carbamoyl, (C₁-C₃)alkyl, (C₁-C₃)haloalkyl, (C₁-C₃)alkoxy, (C₁-C₃)haloalkoxy, (C₁-C₃)alkylamino, di(C₁-C₃)alkylamino, (C₁-C₂)alkoxy(C₁-C₂)alkyl, (C₁-C₂)alkylamino(C₁-C₂)alkyl, di(C₁-C₂)alkylamino(C₁-C₂)alkyl, (C₁-C₃)alkylcarbonyl, (C₁-C₃)alkoxycarbonyl, (C₁-C₃)alkylaminocarbonyl, and di (C₁-C₃)alkylaminocarbonyl;

R₂ is selected from the group consisting of hydrogen and alkoxy;

R₃ is selected from the group consisting of hydrogen, (C₁-C₆) alkoxycarbonyl, and carboxy;

R₄ is selected from the group consisting of hydrogen and hydroxy;

Application No. 10/609,120
Atty Dkt No. 11187-00016 (Endow-3-US)
Reply to Office Action of October 3, 2006

R₅ is selected from the group consisting of hydrogen, carboxy, halo, amino, branched or straight chain (C₁-C₆)alkyl, (C₁-C₆)haloalkyl, (C₂-C₆)alkenyl, (C₃-C₆)alkadienyl, (C₁-C₆)alkoxy, (C₃-C₆)cycloalkoxy, (C₁-C₆)haloalkoxy, (C₃-C₆)cyclohaloalkoxy, (C₂-C₆)alkynyloxy, (C₁-C₆)alkoxy(C₁-C₆)alkyl, (C₃-C₆)cycloalkoxyalkyl, (C₁-C₆)alkoxy(C₃-C₆)cycloalkyl, (C₁-C₆)alkylcarbonyl, (C₃-C₆)cycloalkylcarbonyl, (C₁-C₆)alkoxycarbonyl, (C₄-C₆)alkoxycarbonylalkyl, (C₁-C₆)hydroxyalkyl, substituted or unsubstituted phenyl, phenyl(C₁-C₆)alkyl, heterocyclyl, heterocyclyloxy, heterocyclylcarbonyl, wherein substituents are from one to four and are selected from the group consisting of halo, aminocarbonyl, aminothiocarbonyl, carboxy, formyl, hydroxy, amino, carbamoyl, (C₁-C₃)alkyl, (C₁-C₃)haloalkyl, (C₁-C₃)alkoxy, (C₁-C₃)haloalkoxy, (C₁-C₃)alkylamino, di(C₁-C₃)alkylamino, (C₁-C₂)alkoxy(C₁-C₂)alkyl, (C₁-C₂)alkylamino(C₁-C₂)alkyl, di(C₁-C₂)alkylamino(C₁-C₂)alkyl, (C₁-C₃)alkylcarbonyl, (C₁-C₃)alkoxycarbonyl, (C₁-C₃)alkylaminocarbonyl, and di (C₁-C₃)alkylaminocarbonyl;

R₆ is selected from the group consisting of hydrogen and hydroxy; and

R₇ is selected from the group consisting of hydrogen, halogen, and C₁-C₆ alkoxy,


in an amount effective to increase a concentration of 5-hydroxyindoleacetaldehyde or 3,4-dihydroxyphenylacetaldehyde formed during catabolism of serotonin or dopamine.

9. The method of claim 7, wherein the mammal is a human.
12. The method of claim 7, wherein the compound does not inhibit monoamine oxidase.
13. The method of claim 7, wherein R₅ is hydroxyl or amino.
14. The method of claim 8, wherein R₁ is a straight chain alkyl.
15. The method of claim 8, wherein R₁ is (C₁C₆)hydroxyalkyl or (C₅C₁₀)carboxyalkyl.

Application No. 10/609,120
 Any Dkt No. 11187-00016 (Endow-3-US)
 Reply to Office Action of October 3, 2006

16. The method of claim 7, wherein the compound is administered intraperitoneally, intramuscularly or orally.

27. A compound for inhibiting ALDH-2 comprising Formula I



Formula I

wherein:

R₁ is selected from the group consisting of hydrogen, carboxy, halo, amino, branched or straight chain (C₁-C₆)alkyl, (C₁-C₆)haloalkyl, (C₂-C₆)alkenyl, (C₃-C₆)alkadienyl, (C₁-C₆)alkoxy, (C₃-C₆)cycloalkoxy, (C₁-C₆)haloalkoxy, (C₃-C₆)cyclohaloalkoxy, (C₂-C₆)alkynyloxy, (C₁-C₆)alkoxy(C₁-C₆)alkyl, (C₃-C₆)cycloalkoxyalkyl, (C₁-C₆)alkoxy(C₃-C₆)cycloalkyl, (C₁-C₆)alkylcarbonyl, (C₃-C₆)cycloalkylcarbonyl, (C₁-C₆)alkoxycarbonyl, (C₄-C₆)alkoxycarbonylalkyl, (C₁-C₆)hydroxyalkyl, (C₅-C₁₀)carboxyalkyl, substituted or unsubstituted phenyl, phenyl(C₁-C₆)alkyl, heterocyclyl, heterocyclyloxy, heterocyclylcarbonyl, wherein substituents are from one to four and are selected from the group consisting of halo, aminocarbonyl, aminothiocarbonyl, carboxy, formyl, hydroxy, amino, carbamoyl, (C₁-C₃)alkyl, (C₁-C₃)haloalkyl, (C₁-C₃)alkoxy, (C₁-C₃)haloalkoxy, (C₁-C₃)alkylamino, di(C₁-C₃)alkylamino, (C₁-C₂)alkoxy(C₁-C₂)alkyl, (C₁-C₂)alkylamino(C₁-C₂)alkyl, di(C₁-C₂)alkylamino(C₁-C₂)alkyl, (C₁-C₃)alkylcarbonyl, (C₁-C₃)alkoxycarbonyl, (C₁-C₃)alkylaminocarbonyl, and di (C₁-C₃)alkylaminocarbonyl;

R₂ is selected from the group consisting of hydrogen and alkoxy;

R₃ is hydrogen;

Application No. 10/609,120
Atty Dkt No. 11187-00016 (Endow-3-US)
Reply to Office Action of October 3, 2006

R₄ is selected from the group consisting of hydrogen and hydroxy;

R₅ is selected from the group consisting of hydrogen, carboxy, halo, amino, branched or straight chain (C₁-C₆)alkyl, (C₁-C₆)haloalkyl, (C₂-C₆)alkenyl, (C₃-C₆)alkadienyl, (C₁-C₆)alkoxy, (C₃-C₆)cycloalkoxy, (C₁-C₆)haloalkoxy, (C₃-C₆)cyclohaloalkoxy, (C₂-C₆)alkynyloxy, (C₁-C₆)alkoxy(C₁-C₆)alkyl, (C₃-C₆)cycloalkoxyalkyl, (C₁-C₆)alkoxy(C₃-C₆)cycloalkyl, (C₁-C₆)alkylcarbonyl, (C₃-C₆)cycloalkylcarbonyl, (C₁-C₆)alkoxycarbonyl, (C₄-C₆)alkoxycarbonylalkyl, (C₁-C₆)hydroxyalkyl, substituted or unsubstituted phenyl, phenyl(C₁-C₆)alkyl, heterocyclyl, heterocyclyloxy, heterocyclylcarbonyl, wherein substituents are from one to four and are selected from the group consisting of halo, aminocarbonyl, aminothiocarbonyl, carboxy, formyl, hydroxy, amino, carbamoyl, (C₁-C₃)alkyl, (C₁-C₃)haloalkyl, (C₁-C₃)alkoxy, (C₁-C₃)haloalkoxy, (C₁-C₃)alkylamino, di(C₁-C₃)alkylamino, (C₁-C₂)alkoxy(C₁-C₂)alkyl, (C₁-C₂)alkylamino(C₁-C₂)alkyl, di(C₁-C₂)alkylamino(C₁-C₂)alkyl, (C₁-C₃)alkylcarbonyl, (C₁-C₃)alkoxycarbonyl, (C₁-C₃)alkylaminocarbonyl, and di (C₁-C₃)alkylaminocarbonyl.

R₆ is selected from the group consisting of hydrogen and hydroxy; and

R₇ is selected from the group consisting of hydrogen, halogen, and C₁-C₆ alkoxy.

28. The compound of claim 26, wherein R₅ is hydroxyl or amino.
29. The compound of claim 27, wherein R₁ is a straight chain alkyl.
30. The compound of claim 27, wherein R₁ is (C₁-C₆)hydroxyalkyl or (C₅-C₁₀)carboxyalkyl.

**This Page is Inserted by IFW Indexing and Scanning
Operations and is not part of the Official Record**

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- ☐ **BLACK BORDERS**
- ☐ **IMAGE CUT OFF AT TOP, BOTTOM OR SIDES**
- ☐ **FADED TEXT OR DRAWING**
- ☐ **BLURRED OR ILLEGIBLE TEXT OR DRAWING**
- ☐ **SKEWED/SLANTED IMAGES**
- ☐ **COLOR OR BLACK AND WHITE PHOTOGRAPHS**
- ☐ **GRAY SCALE DOCUMENTS**
- ☒ **LINES OR MARKS ON ORIGINAL DOCUMENT**
- ☐ **REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY**
- ☐ **OTHER:** _____

IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.